

Section 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Spray Foam Outlets – Igloo Foam 2000B
Chemical Name: Polymeric Resin
Manufacturer: Spray Foam Outlets
 PO Box 1182
 New Canaan, CT 06840
 Phone: (855) 362-6863
 Fax: (855) 362-6863

Supplied by: Spray Foam Outlets
Emergency Telephone #: Phone: (855) 362-6863
Intended use of Product: Component of a Foam Insulation System

Section 2: HAZARDS IDENTIFICATION

Routes of Entry: Eye contact, Skin contact, Ingestion, Inhalation.
Acute Effects:
Eye Contact: Causes eye irritation.
Skin Contact: Causes skin irritation.
Inhalation: May cause irritation to upper respiratory tract (nose and throat) and lungs.
Ingestion: May result in gastric disturbances.
 See Toxicological Information (Section 11)

Section 3: COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient	Approximate Concentration	CAS #	Exposure Limits	LD50/LC50
Hydrofluoro-carbon	7-13%	460-73-1	Not available	>20 000ppm 4hr (rat)/ Not available
2-Butoxyethanol	1-5%	111-76-2	Not available	470 mg/kg (rat) / 450 ppm/4hr (rabbit)

Consult local authorities for acceptable exposure limits

Section 4: FIRST AID MEASURES

Skin: Clean exposed area with soap and water. Remove contaminated clothing and seek medical attention if irritation develops.
Eyes: Immediately flush thoroughly with water for at least 20 minutes lifting eye lids occasionally. Get immediate medical attention.
Inhalation: Remove to fresh air; give artificial respiration if not breathing. Get immediate medical attention.
Ingestion: If swallowed, dilute with water and immediately induce vomiting. Get immediate medical attention.

Section 5: FIRE FIGHTING MEASURES

Means of Extinction: Carbon dioxide, dry chemical, foam. In case of larger fires, water spray should be used.

Special Fire Fighting Procedures: Firefighter should be equipped with self contained breathing apparatus to protect against potentially toxic and irritating fumes. Cool fire exposed containers with cold water spray.

Flashpoint: Not available.

Flammable Limits LEL (%): Not available

Flammable Limits UEL (%): Not available

Auto Ignition Temperature: Not available.

Hazardous Combustion Products: May produce carbon dioxide, carbon monoxide, oxides of nitrogen. Dense black smoke. Other potentially toxic fumes.

Sensitivity to Mechanical Impact: Not applicable.

Sensitivity to Static Discharge: Not applicable.

Section 6: ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedure:

Evacuate all non essential personnel. Utilize recommended protective clothing. Avoid breathing vapours and skin contact. Dike area to prevent spreading. Cover spill with inert material and collect for proper disposal. Wash area with soapy water and rinse. Prevent runoff into drains, sewers, and other waterways.

Section 7: HANDLING AND STORAGE

Handling & Storage:

Store in a cool dry place away from any source of ignition. Handle in a well ventilated area with local exhaust. Wear all personal protective equipment. Storage temperature (Min/Max: 60/90°F).

Special Shipping information: None

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTIONS

Personal Protective Equipment: Safety glasses, chemical resistant gloves, protective clothing.

Ventilation: Local exhaust ventilation is recommended to prevent overexposure.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Odour: Amine Odour

Appearance: Brown Liquid

Physical State: Liquid

Odour Threshold: Not Available

Specific Gravity: Not Available

Freezing Point: Not Available

Viscosity: Not Available

Boiling Point: Not Available

Vapour Density: Not Available

Evaporation Rate: Not Available

Vapour Pressure: Not Available

Solubility in Water: Not Available

%Volatile by Volume: Not Available

Section 10: STABILITY AND REACTIVITY

Chemical Stability: Product is stable under normal conditions.

Incompatibility: Avoid moisture to protect product quality.

Conditions/Hazards to Avoid: Exposure to moisture, high temperatures > 90°F and open flames and sparks

Hazardous Decomposition Products: Carbon Monoxide, carbon dioxide, oxides of nitrogen. Dense black smoke. Other potentially toxic fumes.

Hazardous Polymerization: Polymerization will not occur.

Section 11: TOXICOLOGICAL INFORMATION

LD50: Not available

LC50: Not available

Carcinogenicity: The components of this product are not listed by IARC, NTP or regulated as a carcinogen by OSHA.

Teratogenicity: Not available.

Reproductive Effects: Not available.

Mutagenicity: Not available.

Section 12: ECOLOGICAL INFORMATION

Fish toxicity: Not available

Biodegradability: Not available

Section 13: DISPOSAL CONSIDERATIONS

Waste Disposal:

Incinerate in a licensed facility. Do not discharge into waterways or sewer systems.

Container Disposal:

Steel drums must be emptied (as defined by RCRA, Section 261.7 or state regulations that may be more stringent) and can be sent to a licensed drum reconditioner for reuse, a scrap metal dealer, or an approved landfill. Drums destined for a scrap dealer or landfill must be punctured or crushed to prevent reuse.

Consult your local or regional authorities.

Section 14: TRANSPORT INFORMATION

TDG (TRANSPORTATION OF DANGEROUS GOODS) CLASSIFICATION: Not Regulated

Section 15: REGULATORY INFORMATION

WHMIS CLASSIFICATION: D2A, D2B

Domestic Substance List (DSL): yes

Section 16: OTHER INFORMATION

“IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION /USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY *Spray Foam Outlets* HEREUNDER ARE GIVEN GRATIS AND *Spray Foam Outlets* ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK”. *Spray Foam Outlets* WILL NOT MAKE ITS PRODUCTS AVAILABLE TO CUSTOMERS FOR USE IN THE MANUFACTURE OF MEDICAL DEVICES WHICH ARE INTENDED FOR PERMANENT IMPLANTATION IN THE HUMAN BODY OR IN PERMANENT CONTACT WITH INTERNAL BODILY TISSUES OR FLUIDS. WE AT *Spray Foam Outlets* TAKE PRIDE IN OUR PRODUCTS, AND OUR TRADITION OF DEVELOPING INNOVATIVE APPLICATIONS IN PARTNERSHIP WITH OUR CUSTOMERS. HOWEVER, THE POSSIBILITY OF BEING REQUIRED TO RESPOND TO UNFOUNDED LITIGATION AND/OR CLAIMS ARISING OUT OF CONCERNS RELATING TO SUCH USE PRESENTS AN UNACCEPTABLE RISK TO THE COMPANY.

Other special considerations: No additional remark

DATE: April 21, 2015

REVISION 2

PREPARED BY: Spray Foam Outlets